

### Description

Tube en acier sans soudure lamine à chaud

Grade acier : S195

Utilisation : Gaz



### Caractéristiques

Diamètre ext.	Pression maxi	T°C mini/maxi	Dimensions (mm)		Masses linéiques kg/m
			Pouces	Épaisseur	
26.9	16 bars	-10°C + 300°C	3/4"	2.3	1.40
33.7			1"	2.6	1.99
42.4			1"1/4		2.55
48.3			1"1/2	2.93	
60.3			2"	2.9	4.11
76.1			2"1/2		5.24
88.9			3"	3.2	6.76
114.3			4"	3.6	9.83
133			Non normalisée	4	12.70
139.7			5		13.39
159			Non normalisée	4.5	17.10
168.3			6		18.20
219.1			8	6.3	33.10
273			10		41.44
323.9			12	7.1	55.47
355.6			14	8	68.60
406.4			16	8.8	86.30